

























































# REGULATION SIGNS: Control Signs

**EXAMPLE**

<b>R101/TR101</b>	<b>Sign Code</b>
<b>Minimum Speed</b>	<i>R101 (Permanent), TR101 (Temporary)</i>
	<b>Sign Description</b>
	<b>Visual Representation (Permanent Sign)</b>
	<b>Visual Representation (Temporary Sign)</b>
600 900 1200	<b>Sizes (in mm)</b>

<p><b>R1</b> Stop</p>  <p>600 900 1200</p>	<p><b>R1.2</b> Stop / Yield</p>  <p>900 1200 1500</p>	<p><b>R1.3</b> 3-way stop</p>  <p>248 x 248 373 x 373 499 x 499</p>	<p><b>R1.4</b> 4-way stop</p>  <p>248 x 248 373 x 373 499 x 499</p>	<p><b>R1.5</b> Stop / Go</p>  <p>750</p>	<p><b>R2</b> Yield</p>  <p>600 900 1200 1500</p>
<p><b>R2.1</b> Pedestrians</p>  <p>338 x 450 450 x 600 563 x 750</p>	<p><b>R2.2</b> Yield at Circle</p>  <p>600 900 1200</p>	<p><b>R3</b> No Entry</p>  <p>600 900 1200</p>	<p><b>R4.1</b> One Way (Left)</p>  <p>600 x 450 800 x 600</p>	<p><b>R4.2</b> One Way (Right)</p>  <p>600 x 450 800 x 600</p>	<p><b>R4.3</b> One Way (Straight on)</p>  <p>600 x 450 800 x 600</p>
<p><b>R5</b> Pedestrian Priority</p>  <p>600 x 600 900 x 900</p>	<p><b>R6</b> Yield to Oncoming Traffic</p>  <p>600 900 1200</p>				

# REGULATION SIGNS: Command Signs

<p><b>R101/TR101</b> Minimum Speed</p>  <p>600 900 1200</p>	<p><b>R102/TR102</b> Vehicles Exceeding Mass Only</p>  <p>600 900 1200</p>	<p><b>R103/TR103</b> Keep Left</p>  <p>600 900 1200</p>	<p><b>R104/TR104</b> Keep Right</p>  <p>600 900 1200</p>	<p><b>R105/TR105</b> Proceed Left Only</p>  <p>600 900 1200</p>	<p><b>R106/TR106</b> Proceed Right Only</p>  <p>600 900 1200</p>
<p><b>R107/TR107</b> Proceed Straight Only</p>  <p>600 900 1200</p>	<p><b>R108/TR108</b> Turn Left</p>  <p>600 900 1200</p>	<p><b>R109/TR109</b> Turn Right</p>  <p>600 900 1200</p>	<p><b>R110/TR110</b> Pedestrians Only</p>  <p>600 900 1200</p>	<p><b>R111/TR111</b> Cyclists Only</p>  <p>600 900 1200</p>	<p><b>R112/TR112</b> Cyclists and Pedestrians Only</p>  <p>600 900 1200</p>
<p><b>R113/TR113</b> Cyclists and Pedestrians Only</p>  <p>600 900 1200</p>	<p><b>R114/TR114</b> Cyclists and Pedestrians Only</p>  <p>600 900 1200</p>	<p><b>R115/TR115</b> Cyclists and Pedestrians Only</p>  <p>600 900 1200</p>	<p><b>R116/TR116</b> Motorcycle Only</p>  <p>600 900 1200</p>	<p><b>R117/TR117</b> Motorcars Only</p>  <p>600 900 1200</p>	<p><b>R118/TR118</b> Taxi's Only</p>  <p>600 900 1200</p>
<p><b>R119/TR119</b> Minibuses Only</p>  <p>600 900 1200</p>	<p><b>R120/TR120</b> Midi-Buses Only</p>  <p>600 900 1200</p>	<p><b>R121/TR121</b> Buses Only</p>  <p>600 900 1200</p>	<p><b>R122/TR122</b> Delivery Vehicles Only</p>  <p>600 900 1200</p>	<p><b>R123/TR123</b> Goods Vehicles Only</p>  <p>600 900 1200</p>	<p><b>R124/TR124</b> Goods Vehicles over GVM Only</p>  <p>600 900 1200</p>
<p><b>R125/TR125</b> Construction Vehicles Only</p>  <p>600 900 1200</p>	<p><b>R126/TR126</b> Vehicles-Dangerous Goods Only</p>  <p>600 900 1200</p>	<p><b>R127/TR127</b> Abnormal Vehicles Only</p>  <p>600 900 1200</p>	<p><b>R128/TR128</b> Rickshaws Only</p>  <p>600 900 1200</p>	<p><b>R129/TR129</b> Tour Buses Only</p>  <p>600 900 1200</p>	<p><b>R130/TR130</b> Agricultural Vehicles Only</p>  <p>600 900 1200</p>
<p><b>R131/TR131</b> Animal-drawn Vehicles Only</p>  <p>600 900 1200</p>	<p><b>R132</b> Pay Toll</p>  <p>600 900 1200</p>	<p><b>R133/TR133</b> Switch Head Lamps On</p>  <p>600 900 1200</p>	<p><b>R134/TR134</b> Buses and Mini-buses Only</p>  <p>600 900 1200</p>	<p><b>R135/TR135</b> Buses and Midi-buses Only</p>  <p>600 900 1200</p>	<p><b>R136/TR136</b> Buses, Midi-buses and Mini-buses Only</p>  <p>600 900 1200</p>
	<p><b>R137/TR137</b> Roundabout</p>  <p>600 900 1200</p>	<p><b>R138</b> Trams Only</p>  <p>600 900 1200</p>	<p><b>R139</b> Buses &amp; Trams Only</p>  <p>600 900 1200</p>	<p><b>R140</b> Buses, Trams and Minibuses Only</p>  <p>600 900 1200</p>	

# REGULATION SIGNS: Prohibition Signs

<p><b>R201/TR201</b> Speed Limit</p> <p>600 900 1200</p>	<p><b>R202/TR202</b> Mass Limit</p> <p>600 900 1200</p>	<p><b>R203/TR203</b> Axle Massload Limit</p> <p>600 900 1200</p>	<p><b>R204/TR204</b> Height Limit</p> <p>600 900 1200</p>	<p><b>R205/TR205</b> Length Limit</p> <p>600 900 1200</p>	<p><b>R206</b> No Excessive Noise</p> <p>600 900 1200</p>
<p><b>R207</b> No Hitch-Hiking</p> <p>600 900 1200</p>	<p><b>R208/TR208</b> No Unauthorised Vehicles</p> <p>600 900 1200</p>	<p><b>R209/TR209</b> No Left Turn Ahead</p> <p>600 900 1200</p>	<p><b>R210/TR210</b> No Right Turn Ahead</p> <p>600 900 1200</p>	<p><b>R211/TR211</b> No Left Turn</p> <p>600 900 1200</p>	<p><b>R212/TR212</b> No Right Turn</p> <p>600 900 1200</p>
<p><b>R213</b> No U-Turn</p> <p>600 900 1200</p>	<p><b>R214/TR214</b> No Overtaking - All Vehicles</p> <p>600 900 1200</p>	<p><b>R215/TR215</b> No Overtaking - Goods Vehicles</p> <p>600 900 1200</p>	<p><b>R216/TR216</b> No Parking</p> <p>600 900 1200</p>	<p><b>R217/TR217</b> No Stopping</p> <p>600 900 1200</p>	<p><b>R218/TR218</b> No Pedestrians</p> <p>600 900 1200</p>
<p><b>R219/TR219</b> No Cyclists</p> <p>600 900 1200</p>	<p><b>R220/TR220</b> No Cyclists and Pedestrians</p> <p>600 900 1200</p>	<p><b>R222/TR222</b> No Motor Cycles</p> <p>600 900 1200</p>	<p><b>R223/TR223</b> No Motor Cars</p> <p>600 900 1200</p>	<p><b>R224/TR224</b> No Taxi's</p> <p>600 900 1200</p>	<p><b>R225/TR225</b> No Minibuses</p> <p>600 900 1200</p>
<p><b>R226/TR226</b> No Midi-Buses</p> <p>600 900 1200</p>	<p><b>R227/TR227</b> No Buses</p> <p>600 900 1200</p>	<p><b>R228/TR228</b> No Delivery Vehicles</p> <p>600 900 1200</p>	<p><b>R229/TR229</b> No Goods Vehicles</p> <p>600 900 1200</p>	<p><b>R230/TR230</b> No Goods Vehicles over G.V.M</p> <p>600 900 1200</p>	<p><b>R231/TR231</b> No Construction Vehicles</p> <p>600 900 1200</p>
<p><b>R232/TR232</b> No Vehicles carrying Dangerous Goods</p> <p>600 900 1200</p>	<p><b>R233/TR233</b> No Abnormal Vehicles</p> <p>600 900 1200</p>	<p><b>R234/TR234</b> No Rickshaws</p> <p>600 900 1200</p>	<p><b>R235/TR235</b> No Tour Buses</p> <p>600 900 1200</p>	<p><b>R236/TR236</b> No Agricultural Vehicles</p> <p>600 900 1200</p>	<p><b>R237/TR237</b> No Animal Drawn Vehicles</p> <p>600 900 1200</p>
	<p><b>R238/TR238</b> No Horses and Riders</p> <p>600 900 1200</p>	<p><b>R239/TR239</b> Width Limit</p> <p>600 900 1200</p>	<p><b>R240/TR240</b> No Towed Vehicles</p> <p>600 900 1200</p>	<p><b>R241/TR241</b> No Hawkers</p> <p>600 900 1200</p>	

# REGULATION SIGNS: Reservation Signs

<p><b>R301/TR301</b> Bus</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R301-P/TR301-P</b> Bus Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R302/TR302</b> Bus Lane</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R303/TR303</b> Begin Bus Lane</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R304/TR304</b> Bicycle Lane</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>
<p><b>R304-P/TR304-P</b> Bicycle Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R305-P/TR305-P</b> Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R306-P/TR306-P</b> Limited Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R307/TR307</b> Motor Cycle</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R307-P/TR307-P</b> Motor Cycle Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>
<p><b>R308/TR308</b> Motor Car</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R308-P/TR308-P</b> Motor Car Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R309/TR309</b> Taxi</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R309-P/TR309-P</b> Taxi Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R310/TR310</b> Minibus</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>
<p><b>R310-P/TR310-P</b> Minibus Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R311/TR311</b> Midi-Bus</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R311-P/TR311-P</b> Midi-Bus Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R312/TR312</b> Delivery Vehicle</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R312-P/TR312-P</b> Delivery Vehicle Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>
<p><b>R313/TR313</b> Goods Vehicle</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R313-P/TR313-P</b> Goods Vehicle Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R314/TR314</b> Goods Vehicle over indicated G.V.M</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R314-P/TR314-P</b> Goods Vehicle over indicated G.V.M Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R315/TR315</b> Construction Vehicle</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>
<p><b>R315-P/TR315-P</b> Construction Vehicle Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R316/TR316</b> Vehicle Dangerous Goods</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R316-P/TR316-P</b> Vehicle Dangerous Goods Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R317/TR317</b> Abnormal Vehicle</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R317-P/TR317-P</b> Abnormal Vehicle Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>
<p><b>R318/TR318</b> Rickshaw</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R318-P/TR318-P</b> Rickshaw Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R319/TR319</b> Tour Bus</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R319-P/TR319-P</b> Tour Bus Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R320/TR320</b> High Occupancy Vehicle</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>
<p><b>R320-P/TR320-P</b> High Occupancy Vehicle Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R321/TR321</b> Emergency Vehicle</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R321-P/TR321-P</b> Emergency Vehicle Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R322/TR322</b> Police Vehicle</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>	<p><b>R322-P/TR322-P</b> Police Vehicle Parking</p>  <p>450x340 600x450 800x600 900x675 1200x900</p>

**R323/TR323**  
Disabled Persons Vehicle

450x340 600x450  
800x600 900x675  
1200x900

**R323-P/TR323-P**  
Disabled Persons Vehicle Parking

450x340 600x450  
800x600 900x675  
1200x900

**R324/TR324**  
Authorised Vehicle

450x340 600x450  
800x600 900x675  
1200x900

**R324-P/TR324-P**  
Authorised Vehicle Parking

450x340 600x450  
800x600 900x675  
1200x900

**R325**  
Bus Stop

450x225 600x300  
800x400 900x450

**R326/TR326**  
Minibus Stop

450x225 600x300  
800x400 900x450

**R327/TR327**  
Bus and Minibus

450x340 600x450  
800x600 900x675  
1200x900

**R327-P/TR327-P**  
Bus and Minibus Parking

450x340 600x450  
800x600 900x675  
1200x900

**R328/TR328**  
Bus and Minibus Lane

450x340 600x450  
800x600 900x675  
1200x900

**R329/TR329**  
Begin Bus and Minibus Lane

450x340 600x450  
800x600 900x675  
1200x900

**R330/TR330**  
Bus and Midi-bus

450x340 600x450  
800x600 900x675  
1200x900

**R330-P/TR330-P**  
Bus and Midi-bus Parking

450x340 600x450  
800x600 900x675  
1200x900

**R331/TR331**  
Bus and Midi-bus Lane

450x340 600x450  
800x600 900x675  
1200x900

**R332/TR332**  
Begin Bus and Midi-bus Lane

450x340 600x450  
800x600 900x675  
1200x900

**R333/TR333**  
Bus, Midi-bus and Minibus

565x340 750x450  
1000x600 1125x675  
1500x900 2000x1200

**R333-P/TR333-P**  
Bus, Midi-bus and Minibus Parking

565x340 750x450  
1000x600 1125x675  
1500x900 2000x1200

**R334/TR334**  
Bus, Midi-bus and Minibus Lane

565x340 750x450  
1000x600 1125x675  
1500x900 2000x1200

**R335/TR335**  
Begin Bus, Midi-bus and Minibus Lane

565x340 750x450  
1000x600 1125x675  
1500x900 2000x1200

**R336/TR336**  
High Occupancy Vehicle Lane

450x340 600x450  
800x600 900x675  
1200x900

**R337/TR337**  
Begin High Occupancy Vehicle Lane

450x340 600x450  
800x600 900x675  
1200x900

**R338**  
Tram

450x340 600x450  
800x600 900x675  
1200x900

**R339**  
Tram Lane

450x340 600x450  
800x600 900x675  
1200x900

**R340**  
Begin Tram Lane

450x340 600x450  
800x600 900x675  
1200x900

**R341**  
Tram Stop

450x225 600x300  
800x400 900x450

**R342**  
Bus and Tram

450x340 600x450  
800x600 900x675  
1200x900

**R343**  
Bus and Tram Lane

450x340 600x450  
800x600 900x675  
1200x900

**R344**  
Begin Bus and Tram Lane

450x340 600x450  
800x600 900x675  
1200x900

**R345**  
Bus, Minibus and Tram

565x340 750x450  
1000x600 1125x675  
1500x900 2200x1200

**R346**  
Bus, Minibus and Tram Lane

565x340 750x450  
1000x600 1125x675  
1500x900 2200x1200

**R347**  
Begin Bus, Minibus and Tram Lane

565x340 750x450  
1000x600 1125x675  
1500x900 2200x1200

**R348/TR348**  
Bus Lane - Right

450x340 600x450  
800x600 900x675  
1200x900

**R349/TR349**  
Bus and Minibus Lane - Right

450x340 600x450  
800x600 900x675  
1200x900

**R350**  
Bus and Tram Lane - Right

450x340 600x450  
800x600 900x675  
1200x900

**R351**  
Bus, Minibus and Tram Lane - Right

565x340 750x450  
1000x600 1125x675  
1500x900 2200x1200

**R352/TR352**  
High Occupancy Vehicle Lane - Right

450x340 600x450  
800x600 900x675  
1200x900

**R353**  
Authorised Passenger Transport Vehicle

450x340 600x450  
800x600 900x675  
1200x900

**R354**  
Authorised Passenger Transport Vehicle (Right)

450x340 600x450  
800x600 900x675  
1200x900


# REGULATION SIGNS: Comprehensive Signs

**R401**  
Dual Carriageway  
Freeway Begins



600x450 800x600  
900x675 1200x900  
1600x1200

**R402**  
Single Carriageway  
Freeway Begins



600x450 800x600  
900x675 1200x900  
1600x1200

**R403**  
Woonerf



300x225 450x340  
600x450 800x600  
900x675 1200x900

# REGULATION SIGNS: Selective Restriction

Selective Restriction Signs are ONLY used with another REGULATORY Sign, and uses the same colours as the REGULATORY Sign

<p><b>R501/TR501</b> One Time Period</p> <p>340x130 450x170 600x225 675x255 900x340 1200x450</p>	<p><b>R502/TR502</b> Two Time Periods</p> <p>340x200 450x270 600x360 675x400 900x540 1200x720</p>	<p><b>R503/TR503</b> Two Time Periods / Days</p> <p>340x325 450x430 600x575 675x645 900x860 1200x1150</p>	<p><b>R504/TR504</b> Three Time Periods / Days</p> <p>340x400 450x540 600x720 675x800 900x1080 1200x1440</p>	
<p><b>R505/TR505</b> Maximum Stay During Two Time Periods/Days</p> <p>340x430 450x575 600x750 675x860 900x1150 1200x1500</p>	<p><b>R506/TR506</b> Maximum Stay During One Time Period</p> <p>340x240 450x300 600x400 675x450 900x600 1200x800</p>	<p><b>R511/TR511</b> Daytime</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R512/TR512</b> Night-time</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	
<p><b>R520/TR520</b> Reserved Movement Left by Class</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R521/TR521</b> Reserved Movement Right by Class</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R522/TR522</b> Reserved Movement in Both Classes</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R523/TR523</b> Pay and Display</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	
<p><b>R530/TR530</b> Public Transport Operator (Logo)</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R531/TR531</b> Public Transport Operator (Text)</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R532/TR532</b> Mass Limit - Text</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R533/TR533</b> Motor Cycle Engine Size Limit</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R534/TR534</b> "and local access only" Limit</p> <p>340x370 450x490 600x650 675x730 900x975 1200x1300</p>
<p><b>R535/TR535</b> Distance "For" Limit</p> <p>340x150 450x202 600x270 675x315 900x406 1200x540</p>	<p><b>R540/TR540</b> Maximum Number of Vehicles Limit</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>			
<p><b>R560/TR560</b> Bus</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R561/TR561</b> Bicycle</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R562/TR562</b> Motor Cycle</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R563/TR563</b> Motor Car</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>	<p><b>R564/TR564</b> Taxi</p> <p>340x250 450x340 600x450 675x500 900x675 1200x900</p>

**R565/TR565**  
Minibus

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R566/TR566**  
Midi-bus

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R567/TR567**  
Delivery Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R568/TR568**  
Goods Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R569/TR569**  
Goods Vehicle over  
indicated G.V.M.

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R570/TR570**  
Construction Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R571/TR571**  
Vehicle Conveying  
Dangerous Goods

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R572/TR572**  
Abnormal Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R573/TR573**  
Rickshaw

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R574/TR574**  
Tour Bus

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R575/TR575**  
High Occupancy  
Vehicles

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R576/TR576**  
Emergency Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R577/TR577**  
Police Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R578/TR578**  
Disabled Persons  
Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R579/TR579**  
Authorised Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R580/TR580**  
Agricultural Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R581/TR581**  
Animal-drawn Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R582/TR582**  
Towed Vehicle

340X250 450X340  
600X450 675X500  
900X675 1200X900

**R583/TR583**  
Tram

340X250 450X340  
600X450 675X500  
900X675 1200X900

# REGULATION SIGNS: De-Restriction

A De-restriction sign (R600) can be used on any COMMAND, PROHIBITION, RESERVATION or COMPREHENSIVE signs



TYPICAL EXAMPLES OF DE-RESTRICTION SIGNS:

